



# Mobile waste shredder from Metso makes light work of heavy waste

M&J's PreShred 4000M trailer version makes it easier than ever before to process all kinds of waste in almost any location. It has been designed to deliver improved performance and increased efficiency and meets the latest demands concerning emission.



It feature all the robustness and strength you'd expect from a M&J PreShredder, with the added benefits of being easier to operate, more efficient to run and easier to service, all of which helps to reduce running costs.

Metso Waste Recycling shredding technology is based on an extremely aggressive knife design and open cutting table, which provides outstanding performance when dealing with mixed and challenging materials. These key features make M&J PreShred units extremely resistant to wear caused by un-shredable materials; like solid steel, reinforced concrete and rocks.



CABLE DRUMS



MATTRESSES



ARPETS

# Advanced technology

The M&J PreShred 4000 is a large waste shredder capable of effectively and reliably shredding virtually any type of material. This waste shredder is designed to meet the special needs of plants in which the incoming material varies greatly in terms of size and composition and can contain unknown quantities of steel, stones, and concrete. Examples include transfer stations, landfill, and large hazardous waste plants with challenging inputs such as household waste, bulky waste, construction and demolition waste, chemical waste, industrial waste, tree stumps, carpets, mattresses, railway sleepers and refrigerators, as well as waste bales.

Throughput can be as high as 100 tons/hour, depending on the type of input, the number of knives specified for the cutting table, and the loading procedure. The interaction between the rotating knives running asynchronously and in both directions ensures that the input material is constantly in motion, thus preventing bridging and providing maximum shredding capacity.





Spacious power pack for easy service access



User friendly touch-screen with colour display offering simple and easy operation and diagnostics

Extremely aggressive knife design and open cutting table



Each cooling unit can be operated separately; further improving energy efficiency

Two position of King pin more flexible to different trailers


Operational in temperatures up to 45°C, increasing the range of use


Tier 4 Final, 540 HP to full fill the emission standards in the USA and Europe. Also available in Tier 3 for other geographical areas


Cat C15



# M&J PreShred 4000M trailer version







# Metso Metrics for Waste Recycling

Metso Waste Recycling offers a digital solution to help further optimize your M&J shredder equipment operations. Through remote data monitoring, Metso Metrics gives you access to critical insights on your fleet's performance and maintenance needs, with optional access to expertise to help you analyze the data.

**The challenge:** Having access to the right information Your waste shredder equipment is often a key asset that keeps your business running smoothly and efficiently. From time to time a shredder can come up with an alarm, and it can be very difficult to detect and react on a given alarm. Without having the right information at the right time to make important operational or maintenance decisions, extended downtime can set in and production rates can suffer, challenging your bottom line.

**The solution: Metso Metrics** Every shredded ton of waste count at the end of the day. And making the most out of your operations depends on data you can trust. Through a remote communication device mounted on your equipment, Metso Metrics brings you key operational and maintenance data – from utilization rates, to production levels and fuel or power consumption. With secured access on a PC, tablet or smart phone, this solution allows for data driven decisions that impact your operations.

### **SPECIFICATION**

Overall dimensions with std hopper (LxWxH)	mm	9796 x 2525 x 3991
Weight (total included standard conveyor)	ton	30
Standard color	RAL	7011, 9002
Loading height (with standard hopper)	mm	4001
Cutting area	mm	2420 x 2000

## POWER PACK

Diesel motor	kW	403 CAT C15
Electric control unit		Danfoss PLUS+1
Drive principle		Double hydrostatic transmission
Fuel consumption – Average	l/hour	60

### CHASSIS

Standard belt conveyor (L x W)	mm	10250 x 1200
Discharge height	mm	3942

### **CUTTING TABLE**

Number of shafts		2
Rotating speed*	rpm	16-41 / 27-56
Number of knives		8/9/10/12
Number of counter knives		16 / 18 / 20 / 24
Cutting area (L x W)	mm	2420 x 2000
Weight	ton	12.5 – 14.9

### **GRAIN SIZE \*\***

8 knives	mm	< 300
9 knives	mm	< 250
10 knives	mm	< 200
12 knives	mm	< 125

## CAPACITY PER HOUR\*\*\*

Household waste	ton	up to 100
Demolition wood	ton	up to 70
Industrial waste	ton	up to 35
Bulky waste	ton	up to 50

<sup>\*</sup> Standard / HDC





TACHI





SAMURAI

CLASSIC









DRAGON SWORD

BUTTERFLY



CUTTING **TABLE 4000** - 6 KNIVES



CUTTING **TABLE 4000** - 12 KNIVES

<sup>\*\* 90%</sup> less than

<sup>\*\*\*</sup> Depending on loading, grain size and density of the input material



For more information, contact your local Metso Waste Recycling representative, or contact your dealer directly.

# www.metso.com/waste

## **Metso Waste Recycling**

Vejlevej 5 Tel: +45 7626 6400

DK-8700 Horsens recycling.info.dk@metso.com

The information in this document is provided for guidance only and as is without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability, fitness for a particular purpose or non-infringement. Information in this document may include information not appropriate to specific configurations, or information which has not been updated. Metso has the right to make changes in the document without notice. Not all products or services are available in all countries. In no event shall Metso be liable for any damages.